



Summary Chart of U.S. Medical Eligibility Criteria for Contraceptive Use



Pages 1,2Color coded in the left column to match the corresponding question of the Oregon Hormonal Contraception Self-Screening Tool Questionnaire.

Pages 3,4 Arranged alphabetically by disease state

Key:	
1	No restriction (method can be used)
2	Advantages generally outweigh theoretical or proven risks
3	Theoretical or proven risks usually outweigh the advantages
4	Unacceptable health risk (method not to be used)

Updated November 2016. This summary sheet only contains a subset of the recommendations from the US MEC. For complete guidance, see: <http://www.cdc.gov/reproductivehealth/unintendedpregnancy/USMEC.htm>

Corresponding to the order of the Colorado Hormonal Contraception Self Screening Tool Questionnaire:

Condition	Sub-condition	Combined pill, patch, ring		Progestin-only pill		Other Contraception Options Indicated for Patient
		Initiating	Continuing	Initiating	Continuing	
Age		Initiating	Continuing	Initiating	Continuing	
		Menarche to <40=1		Menarche to <18=1		Yes
		≥40=2		18-45=1		Yes
Smoking	a) Age < 35	2		1		Yes
	b) Age ≥ 35, < 15 cigarettes/day	3		1		Yes
	c) Age ≥ 35, ≥15 cigarettes/day	4		1		Yes
Pregnancy	(Not Eligible for contraception)	NA*		NA*		NA*
Postpartum (see also Breastfeeding)	a) < 21 days	4		1		Yes
	b) 21 days to 42 days:					
	(i) with other risk factors for VTE	3*		1		Yes
	(ii) without other risk factors for VTE	2		1		Yes
	c) > 42 days	1		1		Yes
Breastfeeding (see also Postpartum)	a) < 1 month postpartum	3*		2*		Yes
	b) 1 month or more postpartum	2*		1*		Yes
Diabetes mellitus (DM)	a) History of gestational DM only	1		1		Yes
	b) Non-vascular disease					
	b) Other abnormalities:					
	(i) non-insulin dependent	2		2		Yes
	(ii) insulin dependent‡	2		2		Yes
c) Nephropathy/ retinopathy/ neuropathy‡	3/4*		2		Yes	
d) Other vascular disease or diabetes of >20 years' duration‡	3/4*		2		Yes	
Headaches	a) Non-migrainous	1*	2*	1*	1*	Yes
	b) Migraine:					
	i) without aura, age <35	2*	3*	1*	2*	Yes
	ii) without aura, age ≥35	3*	4*	1*	2*	Yes
	iii) with aura, any age	4*	4*	2*	3*	Yes
Hypertension	a) Adequately controlled hypertension	3*		1*		Yes
	b) Elevated blood pressure levels (properly taken measurements):					
	(i) systolic 140-159 or diastolic 90-99	3		1		Yes
	(ii) systolic ≥160 or diastolic ≥100‡	4		2		Yes
c) Vascular disease	4		2		Yes	
History of high blood pressure during pregnancy		2		1		Yes
Hyperlipidemias		2/3*		2*		Yes
Peripartum cardiomyopathy‡	a) Normal or mildly impaired cardiac function:					
	(i) < 6 months	4		1		Yes
	(ii) ≥ 6 months	3		1		Yes

Condition	Sub-condition	Combined pill, patch, ring		Progestin-only pill		Other Contraception Options Indicated for Patient
		Initiating	Continuing	Initiating	Continuing	
	b) Moderately or severely impaired cardiac function	4		2		Yes
Multiple risk factors for arterial cardiovascular disease	(such as older age, smoking, diabetes and hypertension)	3/4*		2*		Yes
Ischemic heart disease‡	Current and history of	4		2	3	Yes
Valvular heart disease	a) Uncomplicated	2		1		Yes
	b) Complicated‡	4		1		Yes
Stroke‡	History of cerebrovascular accident	4		2	3	Yes
Thrombogenic mutations‡		4*		2*		Yes
Deep venous thrombosis (DVT) /Pulmonary embolism (PE)	a) History of DVT/PE, not on anticoagulant therapy					
	i) higher risk for recurrent DVT/PE	4		2		Yes
	ii) lower risk for recurrent DVT/PE	3		2		Yes
	b) Acute DVT/PE	4		2		Yes
	c) DVT/PE and established on anticoagulant therapy for at least 3 months					
	i) higher risk for recurrent DVT/PE	4*		2		Yes
	ii) lower risk for recurrent DVT/PE	3*		2		Yes
	d) Family history (first-degree relatives)	2		1		Yes
	e) Major surgery					
	(i) with prolonged immobilization	4		2		Yes
(ii) without prolonged immobilization	2		1		Yes	
f) Minor surgery without immobilization	1		1		Yes	
History of bariatric surgery‡	a) Restrictive procedures	1		1		Yes
	b) Malabsorptive procedures	COCS: 3		3		Yes
Breast disease/ Breast Cancer	a) Undiagnosed mass	2*		2*		Yes
	b) Benign breast disease	1		1		Yes
	c) Family history of cancer	1		1		Yes
	d) Breast cancer:‡					
i) current	4		4		Yes	
ii) past and no evidence of current disease for 5 years	3		3		Yes	

Condition	Sub-condition	Combined pill, patch, ring		Progestin-only pill		Other Contraception Options Indicated for Patient
		Initiating	Continuing	Initiating	Continuing	
Viral hepatitis	a) Acute or flare	3/4*	2	1	1	Yes
	b) Carrier/Chronic	1	1	1	1	Yes
Cirrhosis	a) Mild (compensated)	1	1	1	1	Yes
	b) Severe‡ (decompensated)	4	4	3	3	Yes
Liver tumors	a) Benign:					
	i) Focal nodular hyperplasia	2	2	2	2	Yes
	ii) Hepatocellular adenoma‡	4	4	3	3	Yes
	b) Malignant‡	4	4	3	3	Yes
Gallbladder disease	a) Symptomatic:					
	(i) treated by cholecystectomy	2	2	2	2	Yes
	(ii) medically treated	3	3	2	2	Yes
	(iii) current	3	3	2	2	Yes
	b) Asymptomatic	2	2	2	2	Yes
History of Cholestasis	a) Pregnancy-related	2	2	1	1	Yes
	b) Past COC-related	3	3	2	2	Yes
Systemic lupus erythematosus‡	a) Positive (or unknown) antiphospholipid antibodies	4	4	3	3	Yes
	b) Severe thrombocytopenia	2	2	2	2	Yes
	c) Immunosuppressive treatment	2	2	2	2	Yes
	d) None of the above	2	2	2	2	Yes
Rheumatoid arthritis	a) On immunosuppressive therapy	2	2	1	1	Yes
	b) Not on immunosuppressive therapy	2	2	1	1	Yes
Blood Conditions?						
Epilepsy‡	(see also Drug Interactions)	1*	1*	1*	1*	Yes
Tuberculosis‡ (see also Drug Interactions)	a) Non-pelvic	1*	1*	1*	1*	Yes
	b) Pelvic	1*	1*	1*	1*	Yes
HIV	High risk	1	1	1	1	Yes
	HIV infected (see also Drug Interactions)‡	1*	1*	1*	1*	Yes
	AIDS (see also Drug Interactions) ‡	1*	1*	1*	1*	Yes
	Clinically well on therapy	If on treatment, see Drug Interactions.				
Antiretroviral therapy	a) Nucleoside reverse transcriptase inhibitors	1*	1*	1	1	Yes
	b) Non-nucleoside reverse transcriptase inhibitors	2*	2*	2*	2*	Yes
	c) Ritonavir-boosted protease inhibitors	3*	3*	3*	3*	Yes
Anticonvulsant therapy	a) Certain anticonvulsants (phenytoin, carbamazepine, barbiturates, primidone, topiramate, oxcarbazepine)	3*	3*	3*	3*	Yes
	b) Lamotrigine	3*	3*	1	1	Yes
Antimicrobial therapy	a) Broad spectrum antibiotics	1	1	1	1	Yes
	b) Antifungals	1	1	1	1	Yes
	c) Antiparasitics	1	1	1	1	Yes
	d) Rifampicin or rifabutin therapy	3*	3*	3*	3*	Yes

Alphabetical Listing of USMEC Contraceptive Eligibility By Disease State

Condition	Sub-condition	Combined pill, patch, ring		Progestin-only pill		Other Contraception Options Indicated for Patient
		Initiating	Continuing	Initiating	Continuing	
Breast disease/ Breast Cancer	a) Undiagnosed mass	2*		2*		Yes
	b) Benign breast disease	1		1		Yes
	c) Family history of cancer	1		1		Yes
	d) Breast cancer‡					
	i) current	4		4		Yes
ii) past and no evidence of current disease for 5 years	3		3		Yes	
Breastfeeding (see also Postpartum)	a) < 1 month postpartum	3*		2*		Yes
	b) 1 month or more postpartum	2*		1*		Yes
Cervical cancer	Awaiting treatment	2		1		Yes
Cervical ectropion		1		1		Yes
Cervical intraepithelial neoplasia		2		1		Yes
Cirrhosis	a) Mild (compensated)	1		1		Yes
	b) Severe‡ (decompensated)	4		3		Yes
Cystic Fibrosis		1*		1*		Yes
Deep venous thrombosis (DVT) /Pulmonary embolism (PE)	a) History of DVT/PE, not on anticoagulant therapy					
	i) higher risk for recurrent DVT/PE	4		2		Yes
	ii) lower risk for recurrent DVT/PE	3		2		Yes
	b) Acute DVT/PE	4		2		Yes
	c) DVT/PE and established on anticoagulant therapy for at least 3 months					
	i) higher risk for recurrent DVT/PE	4*		2		Yes
	ii) lower risk for recurrent DVT/PE	3*		2		Yes
	d) Family history (first-degree relatives)	2		1		Yes
	e) Major surgery					
	(i) with prolonged immobilization	4		2		Yes
(ii) without prolonged immobilization	2		1		Yes	
f) Minor surgery without immobilization	1		1		Yes	
Depressive disorders		1*		1*		Yes
Diabetes mellitus (DM)	a) History of gestational DM only	1		1		Yes
	b) Non-vascular disease					
Diabetes mellitus (cont.)	(i) non-insulin dependent	2		2		Yes
	(ii) insulin dependent‡	2		2		Yes
	c) Nephropathy/ retinopathy/ neuropathy‡	3/4*		2		Yes
	d) Other vascular disease or diabetes of >20 years' duration‡	3/4*		2		Yes
Endometrial cancer‡		1		1		Yes
Endometrial hyperplasia		1		1		Yes
Endometriosis		1		1		Yes
Epilepsy‡	(see also Drug Interactions)	1*		1*		Yes
Gallbladder disease	a) Symptomatic					
	(i) treated by cholecystectomy	2		2		Yes
	(ii) medically treated	3		2		Yes
	(iii) current	3		2		Yes

	b) Asymptomatic	2		2		Yes
	Sub-condition	Combined pill, patch, ring		Progestin-only pill		Other Contraception Options Indicated for Patient
		Initiating	Continuing	Initiating	Continuing	
Gestational trophoblastic disease	a) Decreasing or undetectable β-hCG levels	1		1		Yes
	b) Persistently elevated β-hCG levels or malignant disease‡	1		1		Yes
Headaches	a) Non-migrainous	1*	2*	1*	1*	Yes
	b) Migraine					
	i) without aura, age <35	2*	3*	1*	2*	Yes
	ii) without aura, age ≥35	3*	4*	1*	2*	Yes
	iii) with aura, any age	4*	4*	2*	3*	Yes
History of bariatric surgery‡	a) Restrictive procedures	1		1		Yes
	b) Malabsorptive procedures	COCs: 3		3		Yes
		P/R: 1				
History of cholestasis	a) Pregnancy-related	2		2		Yes
	b) Past COC-related	3		1		Yes
History of high blood pressure during pregnancy		2		1		Yes
History of pelvic surgery		1		1		Yes
HIV	High risk	1		1		Yes
	HIV infected (see also Drug Interactions)‡	1*		1*		Yes
	AIDS (see also Drug Interactions) ‡	1*		1*		Yes
	Clinically well on therapy	If on treatment, see Drug Interactions.				
Hyperlipidemias		2/3*		2*		Yes
Hypertension	a) Adequately controlled hypertension	3*		1*		Yes
	b) Elevated blood pressure levels (properly taken measurements)					
	(i) systolic 140-159 or diastolic 90-99	3		1		Yes
	(ii) systolic ≥160 or diastolic ≥100‡	4		2		Yes
	c) Vascular disease	4		2		Yes
Inflammatory bowel disease (Ulcerative colitis, Crohn's disease)		2/3*		2		Yes
Ischemic heart disease‡	Current and history of	4		2	3	Yes
Liver tumors	a) Benign					
	i) Focal nodular hyperplasia	2		2		Yes
	ii) Hepatocellular adenoma‡	4		3		Yes
	b) Malignant‡	4		3		Yes
Malaria		1		1		Yes
Multiple risk factors for arterial cardiovascular disease (such as older age, smoking, diabetes and hypertension)		3/4*		2*		Yes
Obesity	a) ≥30 kg/m ² body mass index (BMI)	2		1		Yes
	b) Menarche to < 18 years and ≥ 30 kg/m ² BMI	2		1		Yes
Ovarian cancer‡		1		1		Yes
Parity	a) Nulliparous	1		1		Yes
	b) Parous	1		1		Yes
Past ectopic pregnancy		1		2		Yes

Alphabetical Listing of USMEC Contraceptive Eligibility By Disease State

Condition	Sub-condition	Combined pill, patch, ring		Progestin-only pill		Other Contraception Options Indicated for Patient
		Initiating	Continuing	Initiating	Continuing	
Pelvic inflammatory disease	a) Past, (assuming no current risk factors of STIs)					
	(i) with subsequent pregnancy	1		1		Yes
	(ii) without subsequent pregnancy	1		1		Yes
	b) Current	1		1		Yes
Peripartum cardiomyopathy‡	a) Normal or mildly impaired cardiac function					
	(i) < 6 months	4		1		Yes
	(ii) ≥ 6 months	3		1		Yes
	b) Moderately or severely impaired cardiac function	4		2		Yes
Postabortion	a) First trimester	1*		1*		Yes
	b) Second trimester	1*		1*		Yes
	c) Immediately post-septic abortion	1*		1*		Yes
Postpartum (see also Breastfeeding)	a) < 21 days	4		1		Yes
	b) 21 days to 42 days					
	(i) with other risk factors for VTE	3*		1		Yes
	(ii) without other risk factors for VTE	2		1		Yes
Postpartum (in breastfeeding or non-breastfeeding women, including post-caesarean section)	c) > 42 days	1		1		Yes
	a) < 10 minutes after delivery of the placenta					
	b) 10 minutes after delivery of the placenta to < 4 weeks					
	c) ≥ 4 weeks					
Pregnancy		NA*		NA*		NA*
	d) Puerperal sepsis					
Rheumatoid arthritis	a) On immunosuppressive therapy	2		1		Yes
	b) Not on immunosuppressive therapy	2		1		Yes
Schistosomiasis	a) Uncomplicated	1		1		Yes
	b) Fibrosis of the liver‡	1		1		Yes
Severe dysmenorrhea		1		1		Yes
Sexually transmitted infections (STIs)	a) Current purulent cervicitis or chlamydial infection or gonorrhea	1		1		Yes
	b) Other STIs (excluding HIV and hepatitis)	1		1		Yes
Sexually transmitted infections (cont.)	c) Vaginitis (including trichomonas vaginalis and bacterial vaginosis)	1		1		Yes
	d) Increased risk of STIs	1		1		Yes
Smoking	a) Age < 35	2		1		Yes
	b) Age ≥ 35, < 15 cigarettes/day	3		1		Yes
	c) Age ≥ 35, ≥ 15 cigarettes/day	4		1		Yes
Solid organ transplantation‡	a) Complicated	4		2		Yes
	b) Uncomplicated	2*		2		Yes
Stroke‡	History of cerebrovascular accident	4		2	3	Yes
Superficial venous thrombosis	a) Varicose veins	1		1		Yes
	b) Superficial thrombophlebitis	2		1		Yes
Systemic lupus erythematosus‡	a) Positive (or unknown) antiphospholipid antibodies	4		3		Yes
	b) Severe thrombocytopenia	2		2		Yes
	c) Immunosuppressive treatment	2		2		Yes
	d) None of the above	2		2		Yes
Thrombogenic mutations‡		4*		2*		Yes

Condition	Sub-condition	Combined pill, patch, ring		Progestin-only pill		Other Contraception Options Indicated for Patient
		Initiating	Continuing	Initiating	Continuing	
Thyroid disorders	Simple goiter/hyperthyroid/hypothyroid.	1		1		Yes
Tuberculosis‡ (see also Drug Interactions)	a) Non-pelvic	1*		1*		Yes
	b) Pelvic (suspicious for serious condition) before evaluation	1*		1*		Yes
Unexplained vaginal bleeding		2*		2*		Yes
Uterine fibroids		1		1		Yes
Valvular heart disease	a) Uncomplicated	2		1		Yes
	b) Complicated‡	4		1		Yes
Vaginal bleeding patterns	a) Irregular pattern without heavy bleeding	1		2		Yes
	b) Heavy or prolonged bleeding	1*		2*		Yes
Viral hepatitis	a) Acute or flare	3/4*	2	1		Yes
	b) Carrier/Chronic	1	1	1		Yes
Antiretroviral therapy (All other ARVs are 1 or 2 for all methods)	Fosamprenavir (FPV)	3*		2*		Yes
Anticonvulsant therapy	a) Certain anticonvulsants (phenytoin, carbamazepine, barbiturates, primidone, topiramate, oxcarbazepine)	3*		3*		Yes
	b) Lamotrigine	3*		1		Yes
Antimicrobial therapy	a) Broad spectrum antibiotics	1		1		Yes
	b) Antifungals	1		1		Yes
	c) Antiparasitics	1		1		Yes
	d) Rifampicin or rifabutin therapy	3*		3*		Yes
SSRIs		1		1		Yes
St. John's Wort		2		2		Yes

I = initiation of contraceptive method; C = continuation of contraceptive method; NA = Not applicable

* Please see the complete guidance for a clarification to this classification:

www.cdc.gov/reproductivehealth/unintendedpregnancy/USMEC.htm

‡ Condition that exposes a woman to increased risk as a result of unintended pregnancy.